

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/05/2023

Reviewed on 10/05/2023

1 Identification

- **Product identifier**
- **Trade name:** Ultrapak™ Dental Retraction Cord (All Sizes)
- **Article number:** SDS 189-001.07R01, 19801, 19802, 19803, 19804, 10285, 30904, 30905, 30906, 30907, 15315
- **Application of the substance / the mixture** Professional Dental Retraction Cord
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
- **Information department:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**
The substance is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization:** Substances
- **CAS No. Description**
Cotton

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2023

Reviewed on 10/05/2023

Trade name: **Ultrapak™ Dental Retraction Cord (All Sizes)**

(Contd. of page 1)

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** None
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** None
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** See product labelling.
- **Specific end use(s)** Professional Dental Retraction Cord

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2023

Reviewed on 10/05/2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 2)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Knitted Cord
Color:	Various
- **Odor:** Odorless
- **Odor threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
- **Flash point:** Not applicable
- **Flammability (solid, gaseous):** Product is not flammable.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Not determined.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapor pressure:** Not applicable.
- **Density:** Not determined
- **Relative density** Not determined
- **Vapor density** Not applicable.
- **Evaporation rate** Not applicable.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2023

Reviewed on 10/05/2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 3)

- | | |
|---|---|
| · Solubility in / Miscibility with Water: | <i>Insoluble.</i> |
| · Partition coefficient (n-octanol/water): | <i>Not determined.</i> |
| · Viscosity: | |
| Dynamic: | <i>Not applicable.</i> |
| Kinematic: | <i>Not applicable.</i> |
| · Other information | <i>No further relevant information available.</i> |

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *No irritating effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**
*When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
The substance is not subject to classification.*
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
Substance is not listed.
- **NTP (National Toxicology Program)**
Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)**
Substance is not listed.
- **Germ cell mutagenicity** *Does not meet the classification criteria for this hazard class.*
- **Carcinogenicity** *Does not meet the classification criteria for this hazard class.*
- **Reproductive toxicity** *Does not meet the classification criteria for this hazard class.*
- **Specific target organ toxicity - single exposure** *Does not meet the classification criteria for this hazard class.*
- **Specific target organ toxicity - repeated exposure** *Does not meet the classification criteria for this hazard class.*
- **Aspiration hazard** *Does not meet the classification criteria for this hazard class.*

US

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2023

Reviewed on 10/05/2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 4)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Smaller quantities can be disposed of with household waste.
Dispose of contents/container in accordance with international, federal, state, and local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|------------------------|
| · UN-Number | |
| · DOT, IMDG, IATA | <i>Not Regulated</i> |
| · ADN | <i>Not Regulated</i> |
| · UN proper shipping name | |
| · DOT, IMDG, IATA | <i>Not Regulated</i> |
| · Transport hazard class(es) | |
| · DOT, IMDG, IATA | |
| · Class | <i>Not Regulated</i> |
| · ADN/R Class: | <i>Not Regulated</i> |
| · Packing group | |
| · DOT, IMDG, IATA | <i>Not Regulated</i> |
| · Environmental hazards: | <i>Not Applicable.</i> |
| · Special precautions for user | <i>Not Applicable</i> |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | <i>Not Applicable.</i> |
| · UN "Model Regulation": | <i>Not Regulated</i> |

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/05/2023

Reviewed on 10/05/2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 5)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

Substance is not listed.

· **Hazardous Air Pollutants**

Substance is not listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)**

Substance is not listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **Chemical safety assessment:**

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

· **Date of preparation / last revision** 10/05/2023

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/05/2023

Reviewed on 10/05/2023

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)*NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit***· * Data compared to the previous version altered.**

(Contd. of page 6)

US