

Printing date 03/18/2025 Reviewed on 03/18/2025

1 Identification

· Product identifier

· Trade name: OpalescenceTM Home Advanced Tooth Whitening 15%

· Article number: SDS 505-001.03R01, 1011957, 1012434, 5822-US, 6006-US, 6008-US

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

· Information department: Customer Service

· Emergency telephone number:

CHEMTREC (NORTH AMERICA): +1 (800) 424-9300

(INTERNATIONAL): +(703) 527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified according to the Globally Harmonized System (GHS)
- · Hazard pictograms GHS07
- · Signal word Warning
- · Health Hazard-determining components of labeling:

Oils, Peppermint

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

(Contd. on page 2)

Printing date 03/18/2025 Reviewed on 03/18/2025

Trade name: OpalescenceTM Home Advanced Tooth Whitening 15%

· HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 1FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
56-81-5	Glycerin	>20-<40%
7722-84-1	Hydrogen Peroxide	≤15%
	Trade Secret	>1-<10%
1310-58-3	Potassium Hydroxide	>1-<10%
7758-11-4	Dipotassium Phosphate	>1-<5%
8006-90-4	Oils, Peppermint	<1%
7681-49-4	Sodium Fluoride	<1%

[·] Additional information:

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

Printing date 03/18/2025 Reviewed on 03/18/2025

Trade name: OpalescenceTM Home Advanced Tooth Whitening 15%

(Contd. of page 2)

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

See product labeling.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

PEL Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction TLV TLV withdrawn-insufficient data human occup. exp. 7722-84-1 Hydrogen Peroxide PEL Long-term value: 1.4 mg/m³, 1 ppm REL Long-term value: 1.4 mg/m³, 1 ppm TLV Long-term value: 1 ppm	
TLV withdrawn-insufficient data human occup. exp. 7722-84-1 Hydrogen Peroxide PEL Long-term value: 1.4 mg/m³, 1 ppm REL Long-term value: 1.4 mg/m³, 1 ppm	
7722-84-1 Hydrogen Peroxide PEL Long-term value: 1.4 mg/m³, 1 ppm REL Long-term value: 1.4 mg/m³, 1 ppm	
PEL Long-term value: 1.4 mg/m³, 1 ppm REL Long-term value: 1.4 mg/m³, 1 ppm	
REL Long-term value: 1.4 mg/m³, 1 ppm	
TLV Long-term value: 1 ppm	
127 2018 term runner i pp.m	
A3	
Trade Secret	
TWA Short-term value: 0.8 mg/m³	
1310-58-3 Potassium Hydroxide	
REL Ceiling limit value: 2 mg/m ³	
TLV Ceiling limit value: 2 mg/m³	

(Contd. on page 4)

Printing date 03/18/2025 Reviewed on 03/18/2025

Trade name: Opalescence™ Home Advanced Tooth Whitening 15%

(Contd. of page 3)

7681-49-4 Sodium Fluoride

PEL Long-term value: 2.5 mg/m³

as F

REL Long-term value: 2.5 mg/m³

as I

TLV Long-term value: 2.5 mg/m³

as F, A4; BEI

Ingredients with biological limit values:

7681-49-4 Sodium Fluoride

BEI 2 mg/L

Medium: urine Time: prior to shift

Parameter: Fluoride (background, nonspecific)

3 mg/L

Medium: urine Time: end of shift

Parameter: Fluoride (background, nonspecific)

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · **Body protection:** Protective work clothing

- 11

Printing date 03/18/2025 Reviewed on 03/18/2025

Trade name: OpalescenceTM Home Advanced Tooth Whitening 15%

(Contd. of page 4)

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Gel
Color:	White Opaque
Odor:	Mint
Odor threshold:	Not determined.
pH-value at 20°C:	5-7
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined
Flash point:	Not applicable
Flammability:	Not determined.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C:	1.3 g/cm³
Relative density	Not determined
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
	Not applicable
Dynamic: Kinematic:	Not applicable. Not applicable.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Reviewed on 03/18/2025 Printing date 03/18/2025

Trade name: OpalescenceTM Home Advanced Tooth Whitening 15%

(Contd. of page 5)

11 Toxicological information

LD/LC50	values that are rele	vant for classification:
ATE (Acu	te Toxicity Estimate	e)
Oral	LD50	2,129 mg/kg
Dermal	LD50	72,917 mg/kg (rat)
Inhalative	LC50/4 h	>33.6 mg/l
56-81-5 G	lycerin	
Oral	LD50	7,750 mg/kg (guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>0.1425 mg/l (rat)
7722-84-1	Hydrogen Peroxid	e
Oral	LC50 Fish	16.4 mg/l (Fish)
Trade Sec	ret	
Oral	LD50	>15,000 mg/kg (mouse)
		>3,300 mg/kg (rat)
	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	0.139 mg/l (rat)
1310-58-3	Potassium Hydrox	ide
Oral	LD50	214 mg/kg (rat)
	LC50 Fish	80 mg/l (Fish)
7758-11-4	Dipotassium Phos	
Oral	LD50	4,260-5,700 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative		>0.83 mg/l (rat)
	Oils, Peppermint	
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)
	Sodium Fluoride	
Oral	LD50	52 mg/kg (mouse)
	LC50 Fish (static)	
Dermal	LD50	175 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.

(Contd. on page 7)

Printing date 03/18/2025 Reviewed on 03/18/2025

Trade name: OpalescenceTM Home Advanced Tooth Whitening 15%

(Contd. of page 6)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
	Hydrogen Peroxide	3
9003-39-8	Polyvinylpyrrolidone	3
7681-49-4	Sodium Fluoride	3
79-10-7	acrylic acid	3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

>10,000 mg/kg (Bacteria)
Peroxide
1.38 mg/l (Algae)
2.4 mg/l (daphnia)
>1,000 mg/kg (daphnia)
uoride
272 mg/kg (Algae)
98 mg/kg (daphnia)
7 mg/l (Algae)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

HIS

Printing date 03/18/2025 Reviewed on 03/18/2025

Trade name: Opalescence™ Home Advanced Tooth Whitening 15%

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	Not Regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, IMDG, IATA	Not Regulated	
Environmental hazards:	Not Applicable.	
Special precautions for user	Not Applicable	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not Applicable.	
UN "Model Regulation":	Not Regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara		
· Section 35	5 (extremely hazardous substances):	
7722-84-1	Hydrogen Peroxide	
· Section 31	3 (Specific toxic chemical listings):	
7757-79-1	Potassium Nitrate	
79-10-7	acrylic acid	
110-82-7	cyclohexane	
· TSCA (Tox	cic Substances Control Act):	
56-81-5	Glycerin	ACTIVE
7722-84-1	Hydrogen Peroxide	ACTIVE
1310-58-3	Potassium Hydroxide	ACTIVE
7758-11-4	Dipotassium Phosphate	ACTIVE
8006-90-4	Oils, Peppermint	ACTIVE
7681-49-4	Sodium Fluoride	ACTIVE
		(Contd. on page 9)

Printing date 03/18/2025 Reviewed on 03/18/2025

Trade name: OpalescenceTM Home Advanced Tooth Whitening 15%

(Contd. of page 8) · Hazardous Air Pollutants 79-10-7 acrylic acid · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) 110-82-7 cyclohexane Ι · ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists) 7722-84-1 Hydrogen Peroxide A37681-49-4 Sodium Fluoride A479-10-7 acrylic acid A4· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · Chemical safety assessment: A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Date of preparation / last revision 03/18/2025 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Sensitization - Skin 1: Skin sensitisation - Category 1

* Data compared to the previous version altered.